

Visual Object Recognition

Computational Models and Neurophysiological Mechanisms

Neurobiology 130/230. Harvard College/GSAS 78454

Note: no class on 09/04/2023 (Labor Day)

Class 1 [09/11/2023]. Introduction to Vision

Class 2 [09/18/2023]. The Phenomenology of Vision

Class 3 [09/25/2023]. Natural image statistics and the retina

Class 4 [10/02/2023]. Learning from Lesions

Note: no class on 10/09/2023 (Indigenous Day)

Class 5 [10/16/2023]. Primary Visual Cortex

Class 6 [10/23/2023]. Adventures into *terra incognita*

Class 7 [10/30/2023]. From the Highest Echelons of Visual Processing to Cognition

Class 8 [11/06/2023]. First Steps into in silico vision

Class 9 [11/13/2023]. Teaching Computers how to see


Class 10 [11/20/2023]. Computer Vision

Class 11 [11/27/2023]. Connecting Vision to the rest of Cognition [Dr. Will Xiao]

Class 12 [12/06/2023]. Visual Consciousness


FINAL EXAM, PAPER DUE 12/11/2023. No extensions.

Anatomical projections of inferior temporal cortex



Prefrontal cortex: the central executive


Human brain



(a) Lateral view, left cerebral hemisphere



Copyright © 2010 Pearson Education, Inc.

Macaque brain




ITC represents visual shapes, not semantics

Physical similarity



Semantic similarity



Categorical responses in PFC but not IT







Fig. 1. The stimuli. (A) Monkeys learned to categorize randomly generated "morphs" from the vast number of possible blends of six prototypes. For neurophysiological recording, 54 sample stimuli were constructed along the 15 morph lines illustrated here. The placement of the prototypes in this diagram does not reflect their similarity. (B) Morphs along the C1-D1 line.

ITC:
a sample



PFC:
d sample



Pattern completion of partially occluded objects



Evaluating pattern completion

20 bubbles





10 bubbles



6 bubbles





4 bubbles



Strong robustness to limited visibility

A



Interrupting processing by backward masking

20 bubbles





10 bubbles



6 bubbles



4 bubbles





Whole Partial






Occluded

Backward masking disrupts pattern completion

E




Delayed neural responses to occluded objects



Inferior Temporal Gyrus


Perception is not a constant
function of input



Perception is not a constant function of input




+



Neural responses are not a constant function of input

“Repetition suppression”



1st presentation

2nd


3rd

4th

5th


6th

120
spikes/s




Neuronal tuning in ITC arises a consequence of learning


(a)





Learning alters neuronal responses in ITC





Seeing faces is necessary to have neural signals that respond to faces




ITC can represent information even in the absence of a visual stimulus!





Working memory representations are absent in early visual cortex and emerge in visual association cortex



Selective responses during visual imagery in the human brain




Task demands modulate activity in ventral visual cortex



Attention is essential for vision






Pay attention!



Summary

- ITC neurons represent shape, not semantic information
- ITC neurons can complete patterns from partially visible stimuli.
- Neural responses continue representing selective visual information even in the absence of a visual stimulus.
- Neuronal responses in ITC are modulated by task demands, including attention
- Neuronal tuning properties are the result of experience with visual world statistics.



Further reading

- Connor, C. E., Brincat, S. L., & Pasupathy, A. (2007). Transformation of shape information in the ventral pathway. *Curr Opin Neurobiol*, 17(2), 140-147.

Original articles cited in class (see lecture notes for complete list)

- Hubel, D. and T. Wiesel (1959). "Receptive fields of single neurons in the cat's striate cortex." *Journal of Physiology (London)* 148: 574-591.
- Desimone, R., et al. (1984). "Stimulus-selective properties of inferior temporal neurons in the macaque." *Journal of Neuroscience* 4(8): 2051-2062.
- Felleman, D. J. and D. C. Van Essen (1991). "Distributed hierarchical processing in the primate cerebral cortex." *Cereb Cortex* 1: 1-47.
- Schmolesky, M., et al. (1998). "Signal timing across the macaque visual system." *Journal of Neurophysiology* 79(6): 3272-3278.
- Wallis, G. and E. T. Rolls (1997). "Invariant face and object recognition in the visual system." *PROGRESS IN NEUROBIOLOGY* 51(2): 167-194.
- Hegde, J., & Van Essen, D. C. (2007). A comparative study of shape representation in macaque visual areas v2 and v4. *Cereb Cortex*, 17(5), 1100-1116.
- von der Heydt, R., Peterhans, E., & Baumgartner, G. (1984). Illusory contours and cortical neuron responses. *Science*, 224, 1260-1262.
- Luck, S. J., Chelazzi, L., Hillyard, S. A., & Desimone, R. (1997). Neural mechanisms of spatial selective attention in areas V1, V2, and V4 of macaque visual cortex. *J Neurophysiol*, 77(1), 24-42.
- David, S. V., Hayden, B. Y., & Gallant, J. L. (2006). Spectral receptive field properties explain shape selectivity in area V4. *J Neurophysiol*, 96(6), 3492-3505.
- Kusunoki M, Moutoussis K, Zeki S (2006) Effect of background colors on the tuning of color-selective cells in monkey area V4. *J Neurophysiol* 95:3047-3059
- Liu H, Agam Y, Madsen J, Kreiman G. (2009) Timing, timing, timing: Fast decoding of object information from intracranial field potentials in human visual cortex. *Neuron* 62:281-290
- Freeman, J. and E. P. Simoncelli (2011). "Metamers of the ventral stream." *Nat Neurosci* 14(9): 1195-1201.
- Kobatake, E. and K. Tanaka (1994). "Neuronal selectivities to complex object features in the ventral visual pathway of the macaque cerebral cortex." *J Neurophysiol* 71(3): 856-867